

EAST 09/656,715  
DJK 5/12/04

L Number	Hits	Search Text	DB	Time stamp
1	50646	(code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:54
3	247902	(code\$1 OR PN\$1) WITH (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:59
4	14858	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) WITH (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 11:58
5	138039	(code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:39
6	10777	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:01
7	4964	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) AND (370/\$6.ccls. OR 375/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:00
8	108629	(read\$3 OR writ\$3) NEAR3 (code\$1 OR PN\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:01
9	438	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME ((read\$3 OR writ\$3) NEAR3 (code\$1 OR PN\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:01
11	✓ 202	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME ((read\$3 OR writ\$3) NEAR3 (code\$1 OR PN\$1)) AND (370/\$6.ccls. OR 375/\$6.ccls. OR 455/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:28
12	✓ 6	("3761696"   "3963905"   "4974184"   "5537396"   "6115411"   "6212219").PN.	USPAT	2004/05/17 12:13
13	✓10	5790591.URPN.	USPAT	2004/05/17 12:26
14	✓257	((read\$3 OR writ\$3) NEAR3 (code\$1 OR PN\$1)) SAME ((exclusive\$3 NEAR2 "OR") OR exclusive\$1OR OR X\$1OR)	USPAT	2004/05/17 13:58
15	✓41	((read\$3 OR writ\$3) NEAR3 (code\$1 OR PN\$1)) SAME ((exclusive\$3 NEAR2 "OR") OR exclusive\$1OR OR X\$1OR)) AND (370/\$6.ccls. OR 375/\$6.ccls. OR 455/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 12:31
22	✓5	("5291475"   "5793795"   "5910944"   "5987056"   "6236352").PN.	USPAT	2004/05/17 13:22
23	408387	(ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3	USPAT	2004/05/17 13:23
24	16959	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) AND ((ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:24

25	1471	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME ((ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:25
26	280032	(read\$3 OR writ\$3 OR stor\$3) WITH (code\$1 OR PN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:26
27	11194	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) AND ((ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3) AND ((read\$3 OR writ\$3 OR stor\$3) WITH (code\$1 OR PN))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:26
28	1622	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) AND ((ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3) SAME ((read\$3 OR writ\$3 OR stor\$3) WITH (code\$1 OR PN))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:26
29	✓ 198	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) AND ((ON\$1OFF OR ON OR OFF OF discontinuous OR discontinuous\$1transmission OR DTX) SAME tim\$3) SAME ((read\$3 OR writ\$3 OR stor\$3) WITH (code\$1 OR PN)) AND (370/\$6.cccls. OR 455/\$6.cccls. OR 375/\$.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:02
30	2715	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME interrupt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:47
31	1354	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) WITH interrupt\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:48
32	✓ 65	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) WITH interrupt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:48
33	✓ 1	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (discontinuous OR discontinuous\$1transmission OR DTX) SAME (time\$1 OR timing\$1 OR clock\$3) SAME ((read\$3 OR writ\$3 OR stor\$3) WITH (code\$1 OR PN))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:57
34	✓ 24	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (discontinuous OR discontinuous\$1transmission OR DTX) SAME (time\$1 OR timing\$1 OR clock\$3) SAME ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:59
35	0	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (discontinuous OR discontinuous\$1transmission OR DTX) SAME (time\$1 OR timing\$1 OR clock\$3) SAME ((exclusive\$3 NEAR2 "OR") OR exclusive\$1OR OR X\$1OR OR EXOR\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 13:59
36	✓ 17	(US-6556585-\$ or US-6493334-\$ or US-5761239-\$ or US-5235615-\$ or US-5164958-\$ or US-5903595-\$ or US-6266364-\$ or US-6728305-\$ or US-6212219-\$ or US-3761696-\$ or US-6556618-\$ or US-5790591-\$ or US-5987056-\$ or US-6263010-\$).did. or (US-20020181558-\$ or US-20020054622-\$).did. or (EP-1085669-\$).did.	USPAT; US-PGPUB; EPO	2004/05/17 14:00

38	✓ 489	((period\$6 WITH (code\$1 OR PN)) SAME (discontinuous OR discontinuous\$1transmission OR DTX OR ON OR OFF OR ON\$1OFF\$1) ) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 375/\$.ccls.)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:02
37	2007	((period\$6 WITH (code\$1 OR PN)) SAME (discontinuous OR discontinuous\$1transmission OR DTX OR ON OR OFF OR ON\$1OFF\$1)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:04
39	✓ 195	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((period\$6 WITH (code\$1 OR PN)) SAME (discontinuous OR discontinuous\$1transmission OR DTX OR ON OR OFF OR ON\$1OFF\$1) ) AND (370/\$6.ccls. OR 455/\$6.ccls. OR 375/\$.ccls.)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 14:04
40	✓ 11	("5574984"   "5713074"   "5946346"   "6070085"   "6075974"   "6134226"   "6259928"   "6347080"   "6418137"   "6449463"   "6539008").PN.	USPAT	2004/05/17 14:10
41	✓ 5	("5291475"   "5793795"   "5910944"   "5987056"   "6236352").PN.	USPAT	2004/05/17 14:12
43	104125	((PN OR code\$1) WITH bit\$1)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:28
44	552076	(ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:31
45	16596	(((PN OR code\$1) WITH bit\$1)) AND ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:31
46	1502	(((PN OR code\$1) WITH bit\$1)) SAME ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:32
47	207	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (((PN OR code\$1) WITH bit\$1)) SAME ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 15:32
48	✓ 147	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (((PN OR code\$1) WITH bit\$1)) SAME ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3) AND (370/\$6.ccls. OR 375/\$6.ccls. OR 455/\$6.ccls.)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:01
49	✓ 2	("5953648"   "6212398").PN.	USPAT	2004/05/17 15:39
50	✓ 38	5239557.URPN.	USPAT	2004/05/17 15:56
51	2219	period\$5 WITH (discontinuous\$3 OR DTX\$1)	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:24
52	130	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (period\$5 WITH (discontinuous\$3 OR DTX\$1))	USPAT; US_PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:05

53	✓ 103	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND (period\$5 WITH (discontinuous\$3 OR DTX\$1)) AND (370/\$6.cccls. OR 375/\$6.cccls. OR 455/\$6.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:05
54	10648	(code\$1 OR PN) NEAR2 (period\$5 OR interval\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:26
55	2074	((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3) AND ((code\$1 OR PN) NEAR2 (period\$5 OR interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:38
56	509	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3) AND ((code\$1 OR PN) NEAR2 (period\$5 OR interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:27
58	288	((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3) SAME ((code\$1 OR PN) NEAR2 (period\$5 OR interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:38
59	✓ 80	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((ON OR OFF OR ON\$1OFF) WITH (time\$1 OR timing\$1 OR clock\$1 OR period\$1) OR discontinuous\$3 OR DTX OR (power ADJ1 sav\$3) OR wake\$1 OR wake\$1up\$1 OR sleep\$3) SAME ((code\$1 OR PN) NEAR2 (period\$5 OR interval\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:27
60	✓ 103	((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME (arbitrar\$4 NEAR2 tim\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:42
61	✓ 21	((code ADJ1 division\$1) OR (spread ADJ1 spectrum\$1) OR CDMA\$1) AND ((code\$1 OR PN\$1) NEAR3 (generat\$5 OR produc\$5 OR creat\$5 OR initiat\$5)) SAME (arbitrar\$4 NEAR2 tim\$3) AND (370/\$6.cccls. OR 455/\$6.cccls. OR 375/\$6.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/17 16:43
-	30655	\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:40
-	145495	code\$1 WITH generat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:41
-	6582	(\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3)) AND (code\$1 WITH generat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:41
-	5493	((time ADJ1 division ADJ1 duplex\$3) OR TDD) OR ((discontinuous ADJ1 transmission ADJ1 control\$1) OR DTX\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:42
-	1747	(\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3)) AND (((time ADJ1 division ADJ1 duplex\$3) OR TDD) OR ((discontinuous ADJ1 transmission ADJ1 control\$1) OR DTX\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 10:42

	518	$(\$2CDMA \text{ OR } (\text{code ADJ1 division ADJ1 multiple ADJ1 access\$3})) \text{ AND } (\text{code\$1 WITH generat\$5}) \text{ AND } (((\text{time ADJ1 division ADJ1 duplex\$3}) \text{ OR TDD}) \text{ OR } ((\text{discontinuous ADJ1 transmission ADJ1 control\$1}) \text{ OR DTX\$2}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:41
	238	hokao.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:41
	11	hokao.in. AND $(\$2CDMA \text{ OR } (\text{code ADJ1 division ADJ1 multiple ADJ1 access\$3}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:49
	18857	$(\text{discontin\$5 OR aribtrar\$4}) \text{ WITH } (\text{time\$1 OR timing\$1})$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 12:50
	313	$((\text{discontin\$5 OR aribtrar\$4}) \text{ WITH } (\text{time\$1 OR timing\$1})) \text{ AND } (\$2CDMA \text{ OR } (\text{code ADJ1 division ADJ1 multiple ADJ1 access\$3}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:52
	3663	heisei	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:52
	0	heisei AND $(10-336749 \text{ OR } "10336749")$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:52
	35	heisei AND $((\text{spread ADJ1 cod\$3}) \text{ OR } (\text{cod\$3 ADJ1 generat\$4}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:56
	28500	$(\text{shift\$1register\$3 OR register\$1}) \text{ SAME } (\text{code\$1 OR spread\$4cod\$1}) \text{ SAME } (\text{bit OR bits})$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:57
	729	$((\text{shift\$1register\$3 OR register\$1}) \text{ SAME } (\text{code\$1 OR spread\$4cod\$1}) \text{ SAME } (\text{bit OR bits})) \text{ AND } (\$2CDMA \text{ OR } (\text{code ADJ1 division ADJ1 multiple ADJ1 access\$3}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 13:57
	2247	$(\text{shift\$1register\$3 OR register\$1}) \text{ SAME } (\text{code\$1 OR spread\$4cod\$1}) \text{ SAME } (\text{bit OR bits OR multi\$1bit\$1}) \text{ SAME } ((\text{exclusiv\$4 ADJ1 "or"}) \text{ OR } (\text{exclusiv\$4 ADJ1 or\$3}) \text{ OR x\$1or\$3 OR exclusiv\$4or\$3})$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 14:37
	152	$((\text{shift\$1register\$3 OR register\$1}) \text{ SAME } (\text{code\$1 OR spread\$4cod\$1}) \text{ SAME } (\text{bit OR bits OR multi\$1bit\$1}) \text{ SAME } ((\text{exclusiv\$4 ADJ1 "or"}) \text{ OR } (\text{exclusiv\$4 ADJ1 or\$3}) \text{ OR x\$1or\$3 OR exclusiv\$4or\$3})) \text{ AND } (\$2CDMA \text{ OR } (\text{code ADJ1 division ADJ1 multiple ADJ1 access\$3}))$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 14:38
	13554	$(\text{shift\$1register\$3 OR register\$1}) \text{ SAME } (\text{code\$1 OR spread\$4cod\$1}) \text{ SAME } (\text{bit OR bits OR multi\$1bit\$1}) \text{ SAME } (\text{memor\$3 OR RAM OR queu\$3 OR buffer\$3})$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 14:38

-	239	((shift\$1register\$3 OR register\$1) SAME (code\$1 OR spread\$4cod\$1) SAME (bit OR bits OR multi\$1bit\$1) SAME (memor\$3 OR RAM OR queu\$3 OR buffer\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 14:38
-	127816	((writ\$3 OR read\$3) WITH (bit OR bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:03
-	21592	((writ\$3 OR read\$3) WITH (bit OR bits)) SAME (cod\$2 OR spread\$4cod\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:03
-	302	((writ\$3 OR read\$3) WITH (bit OR bits)) SAME (cod\$2 OR spread\$4cod\$2)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:32
-	151817	(bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:33
-	28851	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:34
-	1966	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:33
-	7058	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3) SAME (read\$3 OR writ\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:34
-	126	((bit OR bits OR multi\$1bit\$1) WITH (time\$1 OR timing)) SAME (cod\$3 OR spread\$3cod\$3) SAME (read\$3 OR writ\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 15:35
-	10946	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depspread\$3)) ) SAME (register\$3 OR shift\$1register\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 16:29
-	750	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depspread\$3)) ) SAME (register\$3 OR shift\$1register\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 16:20
-	33	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depspread\$3)) ) SAME (register\$3 OR shift\$1register\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3)) AND ((time ADJ1 division ADJ1 duplex\$3) OR TDD) OR ((discontinuous ADJ1 transmission ADJ1 control\$1) OR DTX\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 16:12
-	44	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depspread\$3)) ) SAME (register\$3 OR shift\$1register\$3)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))) AND discontin\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 16:21

	818	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depsread\$3)) ) SAME (register\$3 OR shift\$1register\$3) SAME ((time\$1 OR timing\$1) WITH (bit OR bits OR multi\$1bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 	2004/01/05 17:06
	75	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depsread\$3)) ) SAME (register\$3 OR shift\$1register\$3) SAME ((time\$1 OR timing\$1) WITH (bit OR bits OR multi\$1bit\$1))) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 16:33
	2196	((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depsread\$3)) ) SAME (register\$3 OR shift\$1register\$3) SAME (clock\$3 OR clk\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 	2004/01/05 17:07
	195	(((cod\$3 NEAR3 generat\$5) OR (cod\$3 NEAR3 (spread\$3 OR depsread\$3)) ) SAME (register\$3 OR shift\$1register\$3) SAME (clock\$3 OR clk\$1)) AND (\$2CDMA OR (code ADJ1 division ADJ1 multiple ADJ1 access\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 17:07
	3	("5699380"   "6088382"   "6088383").PN.	USPAT	2004/01/05 18:03
	70	("3831013"   "3900721"   "4112372"   "4222115"   "4238850"   "4247942"   "4392232"   "4418393"   "4418425"   "4425642"   "4455651"   "4471164"   "4479226"   "4512013"   "4523311"   "4553130"   "4563774"   "4570265"   "4606039"   "4612415"   "4612637"   "4617674"   "4621365"   "4647863"   "4649549"   "4653069"   "4660164"   "4672605"   "4672629"   "4672658"   "4675839"   "4680785"   "4691326"   "4697260"   "4703474"   "4707839"   "4718080"   "4730340"   "4742512"   "4757495"   "4759034"   "4789983"   "4799253"   "4805208"   "4807222"   "4837802"   "4843350"   "4843586"   "4850036"   "4860307"   "4866732"   "4894842"   "4901307"   "4914651"   "4922506"   "4930140"   "4932037"   "4969159"   "4977577"   "4977578"   "5005169"   "5016255"   "5016256"   "5022047"   "5023887"   "5029181"   "5040238"   "5048052"   "5056109"   "5103459").PN.	USPAT USPAT	2004/01/05 18:05
	67	5235615.URPN.	USPAT	2004/01/05 18:08
	0	H8-321804	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/05 18:28